

1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

Ruth Jackson Orthopaedic Society Position Statement Bullying in Orthopaedic Surgery

Bullying in Medicine

Workplace bullying in medicine is pervasive and is unacceptable. Bullies are real, professional adults who often may be in senior leadership positions. Bullying is often combined with harassment and discrimination. Although there is overlap among these forms of mistreatment, there are significant differences. Bullying can be described as abuse, humiliation, intimidation, or insults that are severe enough to affect the victim's job performance. This behavior involves acts of commission or omission that are perceived as negative and unwelcome, are often repeated, frequently involve power imbalances, and are abusive regardless of intent (Table 1).¹⁻⁴ Victims of bullying feel humiliated, vulnerable, or threatened often leading to stress and decreased self-confidence.⁵ Additionally, as a result of this mistreatment, victims are often distracted and have difficulty concentrating at work, which may have implications for patient safety. Job satisfaction, job performance, and relationships with coworkers and staff can be negatively affected by workplace bullying.⁶

Table 1: Defining the Terms

Term	Definition
Bullying	Unreasonable and inappropriate behavior that is repeated over time or forms a pattern
	of behavior. It is unreasonable in that a reasonable person being aware of all the
	circumstances, would expect this behavior to victimize, humiliate, undermine, or
	threaten the person to whom it is directed. ²
Overt	The overt bully demonstrates actions that are able to be observed. These
Bullying	behaviors can be classified by intensity, duration, and frequency. ³
Covert	Harassment, intimidation, and covert coercion at work and is similar to mental aspects
Bullying	perpetuating domestic violence. ⁴



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

A recent cross-sectional survey of 1,791 residents and fellows in 16 residency programs and 9 internal medicine programs accredited by the American College of Graduate Medical Education (ACGME) found that 48% of respondents had been bullied.⁷ Attending physicians (29%) and nurses (27%) were the most common professionals implicated in bullying. Several factors were significantly associated with being bullied including female gender, age < 30 years, and nonwhite race. Respondents identified several common bullying behaviors: unjustified criticism and monitoring of work (44%), attempts to belittle and undermine work (44%), destructive innuendo and sarcasm (37%), and attempts to humiliate (32%).⁷ These numbers were very similar to those reported in other studies of workplace bullying in medicine in the United States.⁸⁻¹¹

Bullying is prevalent in surgical fields for several reasons including: 1) the value of hierarchy 2) code of silence and fear of retaliation 3) high stakes, stressful work environment and 4) trainees and junior faculty observe and emulate bullying behavior, especially if the bully is seen as a leader in the field (Pei 2019). Additionally, bad behavior in surgery is frequently rationalized, "he's a surgeon, that's how they are." Bullying leads the victim to feel a sense of loss of control of his environment. Pei at al aptly described bullying as "the perfect crime that leaves no visible marks, but effectively destroys one's ego, identity, and resilience." Victims of bullying frequently suffer in silence, refusing to report for fear of retaliation. This silence may encourage more bullying behavior. Additionally, witnesses are reluctant to report observed instances of bullying due to perceived risk that they may become the victim or be subject to other forms of punishment.

In 2020, Samora et al surveyed a subset of American Academy of Orthopaedic Surgery (AAOS) members to evaluate the climate of workplace safety and overall workplace culture.¹³ Sixty percent of respondents reported experiencing discrimination, bullying, sexual harassment, and harassment (DBSH), with specific exposures to DBSH of 79%, 55%, 47%, and 40%, respectively. Additionally, women (81%) were more likely than men (35%) to experience these behaviors. The authors concluded that more attention is needed to DBSH behaviors in the orthopaedic workplace to ensure that all orthopaedic surgeons in training and in practice have a safe work environment that is inclusive, equitable, and health-promoting.¹³



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

There are several barriers to eradicating bullying from the surgical workplace. Frequently, the bully is an established leader in their specialty, who may contribute significant financial gains to the institution. Additionally, there are no state or federal laws against bullying in the workplace, and few hospitals or medical institutions have well-defined policies against bullying. Finally, effective bullying often leads to isolation of the victim, rendering the victim powerless to come forward and seek institutional support.¹²

Consequences of Workplace Bullying

Physician Wellness

The 2014 US workforce bullying survey reported that when victims reported being bullied, they lost their jobs in 61% of cases (vs 15% for bullies).4 Additionally, exposure to repetitive bullying can lead to mental and physical issues for victims. Previous studies have demonstrated a clear association between bullying and anxiety, 14,15 depression, 16-19 and suicidal ideation. 20,21 Additionally, bullying can lead to physical harm, as evidenced by the increased risk for cardiovascular disease¹⁹ and chronic musculoskeletal pain.²² Previous studies demonstrate that physicians have higher suicide rates than the general population. Specific risk factors for suicide in physicians include depression, female gender, job stress, and single marital status.²³ In 2019, Robertson et al examined the prevalence of suicidal ideation (SI) among surgeons and their use of mental health resources.²⁴ The authors distributed an anonymous cross-sectional survey to members of the American College of Surgeons and found that 6% of the 7,905 surgeons participating reported suicidal ideation in the previous 12 months. Suicidal ideation was 1.5 – 3.0 times more common in surgeons over the age of 45 compared to the general population. Only 26% of the surgeons who had recent SI sought psychiatric or psychologic help. Most of those who were reluctant to seek help cited concern that it could affect their medical license as the primary reason. The authors also found that burnout and depression were independently associated with SI after controlling for personal and professional characteristics.²⁴ Further studies are needed to determine how to reduce suicidal ideation among surgeons.



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

Patients

Physicians often experience a decreased ability to concentrate as a result of bullying, which may, in turn, lead to an inability to focus at work and loss of job satisfaction. Bullying undermines the victim's self-confidence, which may compromise a physician's ability to provide high quality care.^{25,26}

Workplace and Organization

Bullying can lead to significant financial implications in healthcare organizations as a result of staff turnover, ²⁷ recruitment, ²⁷ reduced productivity, and potential litigation. ²⁸ Workplace bullying negatively impacts job performance and work morale. ^{29,30} Both victims and witnesses of bullying tend to be driven away by this behavior. Costs associated with staff turnover have been estimated to equal more than 5% of the annual operating budget, ³⁰ and recent studies demonstrate that organizations in the United States lose approximately \$200 billion annually because of workplace bullying. ^{28,31}

Women in Orthopaedics

There is significant emphasis on diversity in orthopaedic surgery through multiple orthopaedic organizations including the American Academy of Orthopaedic Surgeons (AAOS), the American Orthopaedic Association (AOA), and several subspecialty societies. In addition, pipeline programs such as the Perry Initiative and Nth Dimensions, along with medical student programming through RJOS and AAOS, have been very successful in exposing females to orthopaedic surgery³² There are multiple barriers for women considering a career in orthopaedics including lack of early exposure, lack of female mentors, negative perception of the field, challenges of maintaining work-life balance, and male dominance in the field.³³ Another underlying reason preventing further growth is the culture in surgery, including awareness of the bullying that is present. Hierarchical environments with rigid power structures such as those in medicine and surgical training have higher rates of bullying since they discourage the questioning of authority and instill a fear of reporting bullying.¹² These cultures are more likely to perpetuate negative behavior towards women.³⁴ Further growth of women and minorities in orthopaedic surgery may only be possible with evaluation and change of that culture. The change needs



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

to be supported from the top down-with the leadership emulating a zero tolerance for bullying behavior.

Defining the Problem in Orthopaedic Surgery

We need to identify the problem by obtaining data.

- 1. Surveys of faculty and residents through ACGME.
- 2. Survey orthopaedic surgeons through fellowship programs or specialty societies.
- **3.** Surveys of orthopaedic practices and hospitals to learn the extent of the problem in private practice. It is important to remember that 70% of orthopaedic surgeons are not in academic medicine according to the AAOS Orthopaedic Practice Survey.
- **4.** Ask on every application for the role of an officer or a committee: Have you been accused of bullying, or retaliation behaviors?
- **5.** Work collectively with other surgical societies (e.g. Association of Women Surgeons [AWS]) to more broadly define the problem of bullying within surgery.

Developing a Solution

The institution needs to play a primary role in eliminating bullying. Developing institutional policies to address bullying and prevent retaliation will be important initial steps. Additionally, culture change begins with departmental leadership. Departmental leaders should encourage their faculty, residents, and medical students to speak up about any instances of bullying inflicted upon them personally or that they have witnessed. Additionally, it will be important for all faculty to take modules on communication, leadership skills, bullying, bystander intervention, stress management for the vulnerable, conflict management (to deal with power imbalance issues), and ways to improve one's Emotional IQ, all of which will help provide the tools necessary to address this unacceptable behavior. We should also encourage all AAOS members to take the survey on implicit bias.

The Future



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

- 1. Education and Training
 - a. Develop a Module based on our statement and how to respond to bullying

2. Alliances

- a. Association of Women Surgeons (AWS)/American College of Surgeons (ACS)
- b. American Medical Women's Association (AMWA)
- c. International Orthopaedic Diversity Alliance (IODA)
- d. Nth Dimensions
- e. Women in Arthroplasty
- f. AOA/CORD
- g. BOS/BOC
- h. The Forum
- i. Resident Assembly
- j. Liaison Committee on Medical Education (LCME; medical students)

References

- Rouse LP, Gallagher-Garza S, Gebhard RE, Harrison SL, Wallace LS. Workplace Bullying Among Family Physicians: A Gender Focused Study. *Journal of Women's Health*. 2016;25(9):882-888. doi:10.1089/jwh.2015.5577
- Crebbin W, Campbell G, Hillis DA, Watters DA. Prevalence of bullying, discrimination and sexual harassment in surgery in Australasia. *ANZ J Surg*. 2015 Dec;85(12):905-9. doi: 10.1111/ans.13363. Epub 2015 Oct 29. Review. PMID: 26510837?
- 3. Types of bullying. Bullying No Way. Published August 4, 2020. Accessed September 15, 2020. https://bullyingnoway.gov.au/understanding-bullying/types-of-bullying
- Namie G. 2014 Workplace Bullying Institute U.S. workplace bullying survey. Available at: http://workplacebullying.org/multi/pdf/WBI-2014-US-Survey.pdf. Accessed September 20, 2020.
- 5. Vessey JA, Demarco RF, Gaffney DA, Budin WC. Bullying of Staff Registered Nurses in the Workplace: A Preliminary Study for Developing Personal and Organizational Strategies



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

- for the Transformation of Hostile to Healthy Workplace Environments. *Journal of professional nursing*. 2009;25(5):299-306. doi:10.1016/j.profnurs.2009.01.022
- Parikh JR, Harolds JA, Bluth EI. Workplace Bullying in Radiology and Radiation Oncology. *Journal of the American College of Radiology*. 2017;14(8):1089-1093. doi:10.1016/j.jacr.2016.12.021
- 7. Chadaga AR, Villines D, Krikorian A. Bullying in the American Graduate Medical Education System: A National Cross-Sectional Survey.(Report). 2016;11(3). doi:10.1371/journal.pone.0150246
- Daugherty SR, Baldwin DC, Rowley BD. Learning, satisfaction, and mistreatment during medical internship: a national survey of working conditions. *JAMA*. 1998;279(15):1194. doi:10.1001/jama.279.15.1194
- 9. Ling M, Young CJ, Shepherd HL, Mak C, Saw RPM. Workplace Bullying in Surgery. *World J Surg.* 2016;40(11):2560-2566. doi:10.1007/s00268-016-3642-7
- 10. Karim S, Duchcherer M. Intimidation and harassment in residency: a review of the literature and results of the 2012 Canadian Association of Interns and Residents National Survey. *Canadian medical education journal*. 2014;5(1):e50.
- Fnais H Naif, Soobiah E Charlene, Chen C Maggie, et al. Harassment and Discrimination in Medical Training: A Systematic Review and Meta-Analysis. *Academic Medicine*.
 2014;89(5):817-827. doi:10.1097/ACM.00000000000000000
- 12. Pei KY, Cochran A. Workplace Bullying Among Surgeons—the Perfect Crime: *Annals of Surgery*. 2019;269(1):43-44. doi:10.1097/SLA.0000000000003018
- 13. Balch Samora J, Van Heest A, Weber K, Ross W, Huff T, Carter C. Harassment, Discrimination, and Bullying in Orthopaedics: A Work Environment and Culture Survey. Journal of the American Academy of Orthopaedic Surgeons. 2020; Publish Ahead of Print. doi:10.5435/JAAOS-D-19-00822
- 14. Reknes I, Einarsen S, Pallesen S, Bjorvatn B, Moen BE, Mageroy N. Exposure to bullying behaviors at work and subsequent symptoms of anxiety: The moderating role of



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

individual coping style.(Original Article)(Report). *Industrial Health*. 2016;54(5):421. doi:10.2486/indhealth.2015-0196

- 15. Reknes I, Pallesen S, Magerøy N, Moen BE, Bjorvatn B, Einarsen S. Exposure to bullying behaviors as a predictor of mental health problems among Norwegian nurses: Results from the prospective SUSSH-survey. *International journal of nursing studies*. 2014;51(3):479-487. doi:10.1016/j.ijnurstu.2013.06.017
- 16. Yıldırım D. Bullying among nurses and its effects. *International Nursing Review*. 2009;56(4):504-511. doi:10.1111/j.1466-7657.2009.00745.x
- 17. Niedhammer I, David S, Degioanni S. Association between workplace bullying and depressive symptoms in the French working population. 143 Occupational Physicians, ed. *Journal of psychosomatic research*. 2006;61(2):251-259. doi:10.1016/j.jpsychores.2006.03.051
- 18. Loerbroks A, Weigl M, Li J, Glaser J, Degen C, Angerer P. Workplace bullying and depressive symptoms: A prospective study among junior physicians in Germany. *Journal of Psychosomatic Research*. 2015;78(2):168-172. doi:10.1016/j.jpsychores.2014.10.008
- 19. Kivimaki M. Workplace bullying and the risk of cardiovascular disease and depression.

 Occupational and Environmental Medicine. 2003;60(10):779-783.

 doi:10.1136/oem.60.10.779
- 20. Carter M, Thompson N, Crampton P, et al. Workplace bullying in the UK NHS: a questionnaire and interview study on prevalence, impact and barriers to reporting. *BMJ Open*. 2013;3(6):e002628. doi:10.1136/bmjopen-2013-002628
- 21. Brousse G, Fontana L, Ouchchane L, et al. Psychopathological features of a patient population of targets of workplace bullying. *Occupational Medicine*. 2008;58(2):122-128. doi:10.1093/occmed/kgm148
- 22. Kääriä S, Laaksonen M, Rahkonen O, Lahelma E, Leino-Arjas P. Risk factors of chronic neck pain: a prospective study among middle-aged employees. *European journal of pain* (*London, England*). 2012;16(6):911. doi:10.1002/j.1532-2149.2011.00065.x



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

- 23. Silver HK. Medical students and medical school. *JAMA*. 1982;247(3):309. doi:10.1001/jama.1982.03320280029024
- 24. Robertson JJ, Long B. Medicine's Shame Problem. *The Journal of Emergency Medicine*. 2019;57(3):329-338. doi:10.1016/j.jemermed.2019.06.034
- 25. Trad M, Johnson J. Bullying among radiation therapists: effects on job performance and work environment.(Report). 2014;86(2):122.
- 26. Macintosh J, Wuest J, Gray MM, Cronkhite M. Workplace Bullying in Health Care Affects the Meaning of Work. *Qualitative Health Research*. 2010;20(8):1128-1141. doi:10.1177/1049732310369804
- 27. Hutchinson M, Vickers MH, Wilkes L, Jackson D. A typology of bullying behaviours: the experiences of Australian nurses. *Journal of Clinical Nursing*. 2010;19(15-16):2319-2328. doi:10.1111/j.1365-2702.2009.03160.x
- 28. Lamberth BB. Workplace Bullying in Healthcare: Part 3. *Radiology management*. 2015;37(3):18.
- 29. Schat ACH, Frone MR. Exposure to psychological aggression at work and job performance: The mediating role of job attitudes and personal health. *Work & Stress*. 2011;25(1):23-40. doi:10.1080/02678373.2011.563133
- 30. Waldman L J Deane, Kelly L Frank, Arora L Sanjeev, Smith L Howard. The shocking cost of turnover in health care. *Health Care Management Review*. 2010;35(3):206-211. doi:10.1097/HMR.0b013e3181e3940e
- 31. McAvoy BR, Murtagh J. Workplace Bullying: The Silent Epidemic. *BMJ: British Medical Journal*. 2003;326(7393):776-777.
- 32. AAOS Now June 2019: Making the Case (Again) for Gender Equity. Accessed September 28, 2020. https://www.aaos.org/aaosnow/2019/jun/youraaos/youraaos05/
- 33. Kerr HL1, Armstrong LA2, Cade JE3. Barriers to becoming a female surgeon and the influence of female surgical role models. *Postgrad Med J.* 2016 Oct;92(1092):576-80. doi: 10.1136/postgradmedj-2015-133273. Epub 2016 Aug 15.



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

- 34. Bonne S, Williams BH, Martin M, Kaafarani H, Weaver WL, Rattan R, Byers PM, Joseph DK, Ferrada P, Joseph B, Santos A, Winfield RD, DiBrito S, Bernard A, Zakrison TL. #EAST4ALL: An introduction to the EAST equity, quality, and inclusion task force. *J Trauma Acute Care Surg.* 2019 Jul;87(1):225-233. doi: 10.1097/TA.0000000000002360.
- 35. Watters DA, Hillis DJ. Discrimination, bullying and sexual harassment: where next for medical leadership? *Med J Aust*. 2015 Aug 17;203(4):175. No abstract available. PMID: 26268284
- 36. Action Collaborative on Clinician Well-Being and Resilience Network Organizations.

 National Academy of Medicine. Accessed October 1, 2020. https://nam.edu/action-collaborative-on-clinician-well-being-and-resilience-network-organizations/
- 37. Mangus RS, Hawkins CE, Miller MJ. Prevalence of harassment and discrimination among 1996 medical school graduates: a survey of eight US schools. JAMA. 1998 Sep 2;280(9):851-3.
- 38. Mathews B, Bismark MM. Sexual harassment in the medical profession: legal and ethical responsibilities. *Med J Aust*. 2015 Aug 17;203(4):189-92. PMID: 26268291
- 39. Oancia T, Bohm C, Carry T, Cujec B, Johnson D. The influence of gender and specialty on reporting of abusive and discriminatory behaviour by medical students, residents and physician teachers. *Med Educ*. 2000 Apr;34(4):250-6. PMID: 10733720
- 40. Phillips NA1, Tannan SC, Kalliainen LK. Understanding and Overcoming Implicit Gender Bias in Plastic Surgery. *Plast Reconstr Surg*. 2016 Nov;138(5):1111-1116.

Resources

 https://sites.nationalacademies.org/shstudy/index.htm (The National Academies of Science, Engineering and Medicine, Committee on Women in Science, Engineering and Medicine: Impacts of Sexual Harassment in Academia)



1515 E Woodfield Rd Ste 345 | Schaumburg, IL 60173 Telephone: 847.698.1626 | E-mail: rjos@aaos.org | Website: www.rjos.org

- 2. https://www.aaos.org/about/protected/environmentculturesurvey.aspx
- https://www.surgeons.org/media/25155360/2017-05-25 pol_rel-gov 028 discrimination bullying and sexual harassment.pdf
- 4. https://www.surgeons.org/media/22260415/RACS-Action-Plan Bullying-Harassment
- 5. https://www.aaos.org/aaosnow/2019/may/cover/cover01/
- 6. https://www.acgme.org/Portals/0/PFAssets/ProgramRequirements/CPRResidency2019.pdf
- 7. https://www.facs.org/about-acs/statements/117-harassment
- 8. https://policysearch.ama-assn.org/policyfinder/detail/Anti-Harassment%20Policy%20H-140.837?uri=%2FAMADoc%2FHOD.xml-H-140.837.xml
- https://www.aaos.org/uploadedFiles/PreProduction/About/Opinion_Statements/1201%20S
 exual%20Harassment.pdf
- 10. https://www.facs.org/about-acs/statements/stonprin
- 11. https://nam.edu/wp-content/uploads/2017/12/American-Medical-Womens-Association commitment-statement.pdf.