

# Information Statement

# The Team Physician and the Return-to-Play Decision: A Consensus Statement

#### Definition

Return-to-Play (RTP) is the decision-making process of returning an injured or ill athlete to practice or competition. This ultimately leads to medical clearance of an athlete for full participation in sport. This consensus statement will focus on the process that addresses non-game day RTP decisions.

#### Goal

The goal is to return an injured or ill athlete to practice or competition without putting the individual at undue risk for injury or illness. The team physician's duty is to protect the health and welfare of the athlete. To accomplish this goal, the team physician should have knowledge of and be involved with:

- Establishing a RTP process.
- Evaluating injured or ill athletes.
- Treatment and rehabilitation of injured or ill athletes.
- Returning an injured or ill athlete to play.

#### Introduction

The objective of this consensus statement is to provide physicians who are responsible for the health care of teams with a decision process for determining when to return an injured or ill athlete to practice or competition. This statement is not intended as a standard of care, and should not be interpreted as such. This statement is only a guide, and as such is of a general nature consistent with the reasonable and objective practice of the health care professional. Individual decisions regarding the return of an injured or ill athlete to play will depend on the specific facts and circumstances presented to the physician. Adequate insurance should be in place to help protect the athlete, the sponsoring organization, and the physician. This statement was developed by the collaborative effort of six major professional associations: American Academy of Family Physicians, American Academy of Orthopaedic Surgeons, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and the American Osteopathic Academy of Sports Medicine.

#### **Primary Authors**

Stanley A. Herring, M.D., Chair, Seattle, Washington W. Ben Kibler, M.D., Lexington, Kentucky Margot Putukian, M.D., Princeton, New Jersey

# **Expert Panel**

John A. Bergfeld, M.D., Cleveland, Ohio Lori Boyajian-O'Neill, D.O., Overland Park, Kansas Rob Franks, D.O., Marlton, New Jersey Peter Indelicato, M.D., Gainesville, Florida Rebecca Jaffe, M.D., Wilmington, Delaware Walter Lowe, M.D., Houston, Texas Craig C. Young, M.D., Milwaukee, Wisconsin

# **Establishing a RTP Process**

Establishing a process for returning an athlete to play is the essential first step in deciding when an injured or ill athlete may safely return to practice or competition. This process should include evaluation of the athlete's health status, participation risk and extrinsic factors. The final RTP decision is made by the team physician.

It is essential the team physician:

- Understand the RTP process should be established during the off-season.
- Coordinate a chain of command regarding decisions to return an injured or ill athlete to practice or competition.
- Evaluate the athlete's health status
  - o Medical factors including history, symptoms, signs and additional tests
  - Psychological factors, including readiness, coping mechanisms<sup>6</sup>
  - Functional testing to evaluate readiness to RTP
  - Nature of the illness/injury including mechanism of injury, natural history and known risks of participating after illness/injury
- Evaluate the athlete's participation risk.
  - o Demands of the athlete's sport, including the position and competitive level of play.
  - Role of taping, bracing or orthoses to protect the athlete.
  - Role of medical interventions that allow an athlete to play (e.g., analgesics/injections, inhalers and intravenous fluids).
  - o RTP may affect other athletes (e.g., bracing, casting, disease transmission).
- Understand extrinsic factors that may modify the acceptable level of risk (risk/gain ratio) for the individual athlete (e.g., pressure from parents, team and/or coaches, conflicts of interest and other ethical considerations, fear of litigation, point in athlete's season or career).
- Communicate the RTP process to players, families, certified athletic trainers, coaches, administrators, and other health care providers.
- Confirm a system for medical documentation is in place.
- Establish protocols within disclosure regulations for the release of information regarding an athlete's ability to return to practice or competition after an injury or illness.
- Understand certain sports have governing body rules and regulations regarding participation that affect the RTP decision (e.g., no knee brace in rugby; skin infection in wrestling).
- Understand federal, state and local regulations and legislation related to returning an injured or ill athlete to practice or competition.

## It is desirable the team physician:

- Work with the athletic care network to educate athletes, parents and coaches about the RTP process.
- Prepare a letter of understanding between the team physician and the administration that defines the authority, responsibilities and RTP decisions.<sup>4</sup>

# **Evaluating Injured or III Athletes**

Evaluation of an injured or ill athlete is the key step in establishing a diagnosis and directing treatment and is the basis for deciding when an athlete may safely return to practice or competition. Repeated evaluations throughout the continuum of injury or illness management optimize medical care and aids in the RTP decision.

It is essential that evaluation of an injured or ill athlete include:

- A condition-specific medical history
- A condition-specific physical examination and functional testing
- Medical and radiological tests and consultations as indicated
- Psychosocial assessment<sup>6</sup>
- Documentation
- Communication with the player, family, certified athletic trainer, coaches, and other health care providers within disclosure regulations.

It is desirable the team physician:

Coordinate evaluation of the injured or ill athlete.

# Treatment and Rehabilitation of Injured or III Athletes

Comprehensive treatment includes complete rehabilitation of an injured or ill athlete, thus optimizing the safe and timely return to practice or competition.

It is essential that treatment and rehabilitation plan of the injured or ill athlete:

- Begin in a timely manner<sup>4</sup>
- Address short- and long-term needs for the athlete
- Is individualized and may include consultations and referrals
- Include rehabilitation components that:
- Provide sport-specific assessment, treatment and training to restore function of the injured part.
- Restore musculoskeletal, cardiopulmonary and psychological function, as well as overall health of the injured or ill athlete.
- Serve as a basis for sport-specific conditioning.<sup>5</sup>
- Include equipment modification, bracing, and orthoses as necessary
- Address psychosocial issues
- Provide a realistic prognosis regarding a safe and timely return to practice or competition
- Include continued communication with the player, family, certified athletic trainer, coaches, and other health care providers
- Include documentation

It is desirable the team physician coordinate:

- The initial and ongoing treatment for the injured or ill athlete
- A rehabilitation team including certified athletic trainers, physical therapists, medical specialists and other health care providers.

# Returning an Injured or III Athlete to Play

The decision for safe and timely return of an injured or ill athlete to practice or competition is the desired result of the process of evaluation, treatment, and rehabilitation.

The RTP decision can be a complex process, involving the health status of the individual and participation and extrinsic factors, and may require obtaining and interpreting information from multiple sources. The responsibility of the team physician is to take these factors into consideration to make the RTP decision and communicate and document its implications and risks with the athlete and parent(s) or guardian(s) if the athlete is a minor.

It is essential the team physician confirm:

- Restoration of sport-specific function to the injured part.
- Restoration of musculoskeletal, cardiopulmonary and psychological function, as well as overall health of the injured or ill athlete.
- Restoration of sport-specific skills
- Ability to perform safely with equipment modification, bracing, and orthoses
- The status of recovery from acute or chronic illness and associated sequelae
- Psychosocial readiness
- The athlete poses no undue risk to themselves or the safety of other participants.
- Compliance with federal, state, local and governing body regulations and legislation.

It is desirable the team physician:

• Discuss RTP decision of the athlete with parents/guardians, certified and licensed athletic trainers, coaches, school officials and others within disclosure regulations.

## **Summary**

Understanding the RTP decision-making process is important for the team physician. While it is desirable that the team physician coordinate the RTP process, it is essential that the team physician ultimately be responsible for the RTP decision. Individual decisions regarding return of an injured or ill athlete to play may be complex and will depend on the specific facts and circumstances presented to the team physician.

### References:

- 1. Creighton DW, Shrier I, Shultz R, Meeuwisse WH, Matheson GO: Return-to-Play in Sport: A Decision Based model. *Clin J Sport Med* 2010;20:379-385.
- 2. Matheson GO, Shultz R, Bido J, Mitten MJ, Meeuwisse WH, Shrier I: Return-to-Play Decisions: Are they the team physician's responsibility? *Clin J Sport Med* 2011;21:25-30
- 3. The Team Physician and Return to Play Issues: A consensus statement. *Med Sci Sports Exerc* 2002;34:1212-1214.
- 4. Sideline Preparedness for the Team Physician: Consensus Statement. *Med Sci Sport Exerc* 2001;33:846-849.
- 5. The Team Physician and Conditioning of Athletes for Sports: A Consensus Statement 2001
- Psychological Issues Related to Injury in Athletes and the Team Physician: A Consensus Statement. Medicine & Science in Sports & Exercise: November 2006 - Volume 38 - Issue 11 pp 2030-2034
- 7. Putukian M: Return to Play: Making the tough decisions. *Phys Sportsmed* 1998;26:25-27.
- 8. Myklebust G, Bahr R: Return to play guidelines after anterior cruciate ligament surgery. *Br J Sports Med* 2005;39:127-131.
- 9. Clover J, Wall J: Return to play criteria following sports injury. *Clin Sports Med* . 2010;29:169-175.

- 10. Tucker AM: Ethics and the professional team physician. Clin Sports Med 2004;23:227-241, vi.
- 11. Mitten MJ: Emerging legal issues in sports medicine: a synthesis, summary and analysis. *St Johns Law Rev* 2002;86:5-86.
- 12. Fuller CW, Bahr R, Dick RW, et al: A framework for recording recurrences, reinjuries, and exacerbations in injury surveillance. *Clin J Sport Med* 2007;17:197-200.
- 13. Bauman J: Returning to Play; The Mind does matter. Clin J Sport Med 2005;15:432-435.
- 14. Shrier I, Charland L, Mohtadi NG, Meeuwisse WH, Matheson GO: The sociology of return-to-play decision making: A clinical perspective. *Clin J Sport Med* 2010 20;5:333-335.
- ©2012 American Academy of Family Physicians, American Academy of Orthopaedic Surgeons, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society of Sports Medicine, and American Osteopathic Academy of Sports Medicine. Reprinted with permission.

Adopted September 2012 American Association of Orthopaedic Surgeons®.

Information Statement 1036

For additional information, contact the Public Relations Department at 847-384-4036.