

Number (in Thousands) of Hospitalizations for Fracture

Description	Year	# of Diagnoses (in 000s)	Women		Men	
			(# in 000s)	%	(#in 000s)	%
Shoulder	1998	30	*	*	22	73
	1999	39	15	38	25	64
	2000	37	15	41	23	62
	2001	33	12	36	21	64
	2002	37	15	41	22	59
	2003	37	12	32	25	68
	2004	28	*	*	23	82
	2005	35	10	29	25	71
	2006	45	14	31	31	69
Upper Arm	1998	94	64	68	30	32
	1999	102	63	62	38	37
	2000	95	61	64	34	36
	2001	109	74	68	36	33
	2002	96	62	65	34	35
	2003	106	64	60	42	40
	2004	108	69	64	39	36
	2005	108	71	66	37	34
	2006	113	72	64	41	36
Forearm & Elbow	1998	101	56	55	45	45
	1999	104	59	57	45	43
	2000	102	54	53	47	46
	2001	112	54	48	57	51
	2002	100	49	49	50	50
	2003	113	58	51	55	49
	2004	99	51	52	48	48
	2005	107	58	54	49	46
	2006	117	54	46	63	54
Wrist & Hand & Fingers	1998	45	17	38	28	62
	1999	49	20	41	29	59
	2000	46	18	39	28	61
	2001	41	13	32	27	66
	2002	40	13	33	27	68
	2003	39	10	26	29	74
	2004	44	12	27	31	70
	2005	44	11	25	33	75
	2006	47	14	30	33	70
Other & Unspecified	1998	*	*	*	*	*
	1999	*	*	*	*	*

& Multiple (Upper Limb)	2000	*	*	*	*	*
	2001	*	*	*	*	*
	2002	*	*	*	*	*
	2003	*	*	*	*	*
	2004	*	*	*	*	*
	2005	*	*	*	*	*
	2006	*	*	*	*	*
Hip	1998	382	269	70	113	30
	1999	380	276	73	103	27
	2000	371	275	74	96	26
	2001	373	272	73	101	27
	2002	360	258	72	102	28
	2003	353	242	69	110	31
	2004	377	265	70	112	30
	2005	338	242	72	96	28
	2006	368	265	72	103	28
Upper Leg	1998	78	41	53	37	47
	1999	75	39	52	36	48
	2000	73	38	52	35	48
	2001	71	36	51	35	49
	2002	81	43	53	38	47
	2003	80	39	49	41	51
	2004	85	43	51	42	49
	2005	72	36	50	36	50
	2006	71	32	45	39	55
Knee	1998	19	12	63	*	*
	1999	23	14	61	10	43
	2000	24	12	50	12	50
	2001	16	*	56	*	*
	2002	28	14	50	14	50
	2003	26	14	54	12	46
	2004	27	11	41	15	56
	2005	16	*	*	*	*
	2006	18	11	61	*	*
Lower Leg	1998	96	47	49	49	51
	1999	102	43	42	59	58
	2000	97	44	45	54	56
	2001	97	46	47	49	51
	2002	89	34	38	55	62
	2003	96	39	41	57	59
	2004	91	39	43	52	57
	2005	94	36	38	58	62
	2006	87	34	39	53	61

Ankle	1998	124	72	58	52	42
	1999	136	58	43	78	57
	2000	136	78	57	59	43
	2001	136	82	60	54	40
	2002	130	69	53	61	47
	2003	128	70	55	59	46
	2004	134	73	54	61	46
	2005	129	70	54	59	46
	2006	130	74	57	56	43
Foot & Toes	1998	57	20	35	37	65
	1999	51	23	45	28	55
	2000	44	17	39	27	61
	2001	53	19	36	34	64
	2002	56	23	41	33	59
	2003	57	15	26	42	74
	2004	55	21	38	34	62
	2005	52	24	46	28	54
	2006	41	16	39	25	61
Other & Unspecified & Multiple (Lower Limb)	1998	*	*	*	*	*
	1999	*	*	*	*	*
	2000	*	*	*	*	*
	2001	*	*	*	*	*
	2002	*	*	*	*	*
	2003	*	*	*	*	*
	2004	*	*	*	*	*
	2005	*	*	*	*	*
	2006	*	*	*	*	*
Upper Limb	1998	270	147	54	123	46
	1999	294	158	54	136	46
	2000	280	148	53	132	47
	2001	295	155	53	140	47
	2002	273	139	51	134	49
	2003	295	144	49	151	51
	2004	279	138	49	141	51
	2005	296	152	51	144	49
	2006	322	154	48	168	52
Lower Limb	1998	760	417	55	343	45
	1999	771	412	53	359	47
	2000	746	421	56	325	44
	2001	749	420	56	329	44
	2002	747	408	55	339	45
	2003	741	380	51	361	49

	2004	770	414	54	356	46
	2005	703	382	54	321	46
	2006	718	399	56	319	44
Limb						
	1998	1030	564	55	466	45
	1999	1065	570	54	495	46
	2000	1026	569	55	457	45
	2001	1044	575	55	469	45
	2002	1020	547	54	473	46
	2003	1036	524	51	512	49
	2004	1049	552	53	497	47
	2005	999	534	53	465	47
	2006	1040	553	53	487	47

Note: The Number (in thousands) refers to diagnoses for fracture for short-stay hospitals, United States. These entries indicate whether the listed neck condition was among any of the patients' diagnoses.

This condition may not have been the patients' primary disease/disorder. Some numbers are too small to be statistically reliable, and, therefore, do not appear in the table. The respective cells are indicated by *.

Source: Hospitalizations - National Hospital Discharge Survey 1998-2006. Data obtained from: U.S. Department of Health and Human Services; Centers for Disease Control and Prevention; National Center for Health Statistics.